

FolderID: 14111 FormID: 21255766



Hydraulic Boom Crane Inspection Report (1910.180 & 1926.1400-1926.1441 as necessary)

Completed by: Chris Hunter on 08/09/2024

Location:	Black Lake Place, Phila., PA	
Serial #:	056 838	
Unit #:	S360	

Manufacturer:	Liebherr	
Model:	LTC 1050-3.1	
Capacity:	50 Tons	
Length/Lift:	118 FT	
Type of Crane:	Truck Crane (1910.180 & 1926.1400)	
Number of Hoists:	Main Only	
Boom Configuration:	Main Boom w/o Attached Jib	

Priorities Found: 95 - Good

Customer Sign Off

1. Customer Sign Off

IF THERE ARE NO DEFICIENCIES NOTHING NEEDS TO BE DONE.

IF THERE ARE ANY HIGH, RED, DEFICIENCIES PLEASE FOLLOW THE BELOW INSTRUCTIONS

The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS PAGE ONLY to either jaime @atlanticcrane.com or gina @atlanticcrane.com or fax THIS PAGE ONLY to our office at 215-639-2316 and a certification and sticker will be issued. The above deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However, those items should be corrected to improve equipment reliability and safety.

The undersigned verifies the listed deficiencies denoted with an (DEF, HIGH, RED) have been corrected.		
Signature	Date	

In	Inspection Information			
	2.	Inspection Number	24080903CH	
	3.	Inspection Date	08/09/2024	
	4.	Inspection Type	(Ann) Annual	
In	Information & Records			
	5.	Documentation of Annual / Comprehensive Inspection	(SAT) Satisfactory	
	6.	Hand Signal Chart	(SAT) Satisfactory	
	7.	Safety and Warning Labels	(SAT) Satisfactory	
	8.	Operator's Manual	(SAT) Satisfactory	
Sa	Safety Devices / Operational Aids			
	9.	Audible Reverse Signal Alarm	(SAT) Satisfactory	
	10.	Audible Warning Device	(SAT) Satisfactory	
	11.	Boom Angle Indicator	(SAT) Satisfactory	
	12.	Boom Length Indicator	(SAT) Satisfactory	
	13.	Drum Rotation Indicator	(SAT) Satisfactory	
	14.	Two-Block System	(SAT) Satisfactory	
	15.	Load Moment Indicator	(SAT) Satisfactory	

Atlantic Crane Inspection Services disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Atlantic Crane Inspection Services. Atlantic Crane Inspection Services shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

16.	3	(SAT) Satisfactory
17.		(SAT) Satisfactory
	Fire Extinguisher	(SAT) Satisfactory
Load (Chart	
19.	Load Chart	(SAT) Satisfactory
20.	Per Configuration	(SAT) Satisfactory
21.	Visible from Fixed Operator's Station	(SAT) Satisfactory
Carrie	r	
22.	Steering	(SAT) Satisfactory
23.	Parking Brake	(SAT) Satisfactory
24.	External Lights (Headlights, Taillights, Brake Lights)	(SAT) Satisfactory
25.	Windshield Wipers	(SAT) Satisfactory
26.	Windows / Mirrors	(SAT) Satisfactory
27.	Wheels/Tires	(SAT) Satisfactory
28.	Engine Performance	(SAT) Satisfactory
29.	Exhaust System	(SAT) Satisfactory
30.	Drive Line	(SAT) Satisfactory
31.	Main Frame Members	(SAT) Satisfactory
32.	Hydraulic Hoses, Fittings, Tubes	(SAT) Satisfactory
33.	Hydraulic Fluid Level	(SAT) Satisfactory
34.	Hoses / Tubing / Fittings .	(SAT) Satisfactory
35.	Slip Resistant Walking surface	(SAT) Satisfactory
Outrig	igers	
_	Boxes & Beams	(SAT) Satisfactory
37.	Hydraulic Cylinders	(SAT) Satisfactory
38.	·	(SAT) Satisfactory
39.	Hoses / Tubing / Fittings	(SAT) Satisfactory
40.	Holding Valves	(SAT) Satisfactory
41.	Caution / Warning Signs	(SAT) Satisfactory
Opera	tor's Station	
-	Windows/Wipers	(SAT) Satisfactory
43.	Cab Door Restraint	(SAT) Satisfactory
44.	Cab Access	(SAT) Satisfactory
45.	Steps / Ladders / Handrails	(SAT) Satisfactory
46.	Anti-Skid Stepping Surfaces	(SAT) Satisfactory
47.	•	(SAT) Satisfactory
48.	Electrocution Warning Sign(s)	(SAT) Satisfactory
49.	Horn	(SAT) Satisfactory
50.	Controls Identified	(SAT) Satisfactory
51.		(SAT) Satisfactory
52.		(SAT) Satisfactory
53.		(SAT) Satisfactory
	ng Upper Structure	(2.2.2, 2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2
54.		(SAT) Satisfactory
55.	Exhaust System/Guards & Insulators	(SAT) Satisfactory
56.	·	(SAT) Satisfactory
57.		(SAT) Satisfactory
J 1.	- Country Worght Framo	(OAT) Datistactory

Atlantic Crane Inspection Services disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Atlantic Crane Inspection Services. Atlantic Crane Inspection Services shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

58	R	Ring and Pinion Gear		(SAT) Satisfactory
		Hydraulic and Pneumatic Pumps		(SAT) Satisfactory
		Hydraulic Tubes, Fitting, and Hoses		(SAT) Satisfactory
6		Hydraulic Pressure		(SAT) Satisfactory
62		Electrical Wiring		(SAT) Satisfactory
63		Swing System / Assembly		(SAT) Satisfactory
64		Counterweight Mounting		(SAT) Satisfactory
6:		Counterweight Posted Warnings		(SAT) Satisfactory
66		Electrocution Posted Warnings		(SAT) Satisfactory
		Structure		
	-			(SAT) Satisfactory
		Bystem Drakes and Clutch System		(CAT) Caticfortony
		Brakes and Clutch System		(SAT) Satisfactory
		Wire Rope Reeving		(SAT) Satisfactory
		2 Rope Wrap Minimum		(SAT) Satisfactory
				(SAT) Satisfactory
72		Drums/Lagging/Flanges		(SAT) Satisfactory
		Anchor System		(SAT) Satisfactory
		Hoist Spooling		(SAT) Satisfactory
		oom		
		Lift Cylinder(s)		(SAT) Satisfactory
76		Telescoping Boom Cylinder(s)		(SAT) Satisfactory
		Hydraulic Hoses, Tubes, and Fittings		(SAT) Satisfactory
78		Holding Device		(SAT) Satisfactory
79		Boom Sections Alignment		(SAT) Satisfactory
80		Wear Pads		(SAT) Satisfactory
8		Sheaves		(SAT) Satisfactory
82	2.	Boom Hinge Pin		(SAT) Satisfactory
83	3.	Boom Head Section		(SAT) Satisfactory
84	4.	Structure		(SAT) Satisfactory
Main	ı D	rum Wire Rope		
8	5.	Diameter and wear		
		Slze	Construction	Number of Parts of Line
		15mm	RR	2 parts
86	6.	Rope Damage		(SAT) None Visible at Time of inspection
87	7.	Lubrication		(SAT) Satisfactory
88	В.	End Connectors		(SAT) Satisfactory
Main	H	oist Load Block/Ball & Hook		
89	9.	Capacity & Weight		
		Capacity	Weight	
		16 Ton	195 kg	
90	Э.	Capacity Marking		(SAT) Satisfactory
9	1.	Weight Marking		(SAT) Satisfactory
92		Sheave(s)		(SAT) Satisfactory
93		Safety Latch(es)		(SAT) Satisfactory
94		0° Hook Bend or Twist		(SAT) Satisfactory
0/	5.	5% Hook Opening or 1/4" Max		(SAT) Satisfactory

Atlantic Crane Inspection Services disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Atlantic Crane Inspection Services. Atlantic Crane Inspection Services shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

96. 10% Hook Wear Max	(SAT) Satisfactory
97. Bearing	(SAT) Satisfactory
98. Wedge Socket / End Fitting	(SAT) Satisfactory
99. Reeving	(SAT) Satisfactory
Verification and Completion	
100. Inspector Name and Signature	Christopher J Hunter
101. Sticker Given	(Y) Yes, Given on Site