

Inspection Sautter Crane Rental

FolderID: 14129 FormID: 21302781



Hydraulic Boom Crane Inspection Report (1910.180 & 1926.1400-1926.1441 as necessary)

Completed by: Chris Hunter on 08/14/2024

Location:	Black Lake Place, Phila., PA
Serial #:	043 404
Unit #:	S359

Manufacturer:	Liebherr	
Model:	LTM 1110-5.1	
Capacity:	125 Ton	
Length/Lift:	197'	
Type of Crane:	Truck Crane (1910.180 & 1926.1400) Main & Auxiliary (Not in Use)	
Number of Hoists:		
Boom Configuration:	Main Boom with Stowed Jib	

Priorities Found: 100 - Good

Customer Sign Off

1. Customer Sign Off

IF THERE ARE NO DEFICIENCIES NOTHING NEEDS TO BE DONE.

IF THERE ARE ANY HIGH, RED, DEFICIENCIES PLEASE FOLLOW THE BELOW INSTRUCTIONS

The deficiencies marked HIGH in RED shall be corrected and this report must be dated, signed and email THIS PAGE ONLY to either jaime@atlanticcrane.com or gina@atlanticcrane.com or fax THIS PAGE ONLY to our office at 215-639-2316 and a certification and sticker will be issued. The above deficiencies denoted with (REC, MEDIUM, ORANGE) are recommended and are not required to be corrected to achieve certification. However, those items should be corrected to improve equipment reliability and safety.

The undersigned verifies the listed deficiencies denoted with an (DEF, HIGH, RED) have been corrected.

Signature

Date

Ins	Inspection Information			
	2.	Inspection Number	24081405CH	
	3.	Inspection Date	08/14/2024	
	4.	Inspection Type	(Ann) Annual	
Inf	Information & Records			
	5.	Documentation of Annual / Comprehensive Inspection	(SAT) Satisfactory	
	6.	Hand Signal Chart	(SAT) Satisfactory	
	7.	Safety and Warning Labels	(SAT) Satisfactory	
	8.	Operator's Manual	(SAT) Satisfactory	
Sa	Safety Devices / Operational Aids			
	9.	Audible Reverse Signal Alarm	(SAT) Satisfactory	
	10.	Audible Warning Device	(SAT) Satisfactory	
	11.	Boom Angle Indicator	(SAT) Satisfactory	
	12.	Boom Length Indicator	(SAT) Satisfactory	
	13.	Drum Rotation Indicator	(SAT) Satisfactory	
	14.	Two-Block System	(SAT) Satisfactory	
	15.	Load Moment Indicator	(SAT) Satisfactory	
	16.	Load Weight Indicator	(SAT) Satisfactory	

Atlantic Crane Inspection Services disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Atlantic Crane Inspection Services. Atlantic Crane Inspection Services shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

	17.	Level Indicator	(SAT) Satisfactory
	18.	Fire Extinguisher	(SAT) Satisfactory
10	oad C	-	(e.v.) canonactory
	19.	Load Chart	(SAT) Satisfactory
	20.	Per Configuration	(SAT) Satisfactory
	21.	Visible from Fixed Operator's Station	(SAT) Satisfactory
C.	arrier		(OAT) Gaustactory
	22.	Steering	(SAT) Satisfactory
	23.	Parking Brake	(SAT) Satisfactory
	24.	External Lights (Headlights, Taillights, Brake Lights)	(SAT) Satisfactory
	25.	Windshield Wipers	(SAT) Satisfactory
	26.	Windows / Mirrors	(SAT) Satisfactory
	27.	Wheels/Tires	(SAT) Satisfactory
	28.	Engine Performance	(SAT) Satisfactory
	29.	Exhaust System	(SAT) Satisfactory
	30.	Drive Line	(SAT) Satisfactory
	31.	Main Frame Members	(SAT) Satisfactory
	32.	Hydraulic Hoses, Fittings, Tubes	(SAT) Satisfactory
	33.	Hydraulic Fluid Level	(SAT) Satisfactory
	34.	Hoses / Tubing / Fittings .	(SAT) Satisfactory
	35.	Slip Resistant Walking surface	(SAT) Satisfactory
O	utrig		(only calibration)
	36.	Boxes & Beams	(SAT) Satisfactory
	37.	Hydraulic Cylinders	(SAT) Satisfactory
	38.	Pad / Float	(SAT) Satisfactory
	39.	Hoses / Tubing / Fittings	(SAT) Satisfactory
	40.	Holding Valves	(SAT) Satisfactory
	41.	Caution / Warning Signs	(SAT) Satisfactory
O		or's Station	(Only Guilord Coly
	42.	Windows/Wipers	(SAT) Satisfactory
	43.	Cab Door Restraint	(SAT) Satisfactory
	44.	Cab Access	(SAT) Satisfactory
	45.	Steps / Ladders / Handrails	(SAT) Satisfactory
	46.	Anti-Skid Stepping Surfaces	(SAT) Satisfactory
	47.	Fire Extinguisher	(SAT) Satisfactory
	48.	Electrocution Warning Sign(s)	(SAT) Satisfactory
	49.	Horn	(SAT) Satisfactory
	50.	Controls Identified	(SAT) Satisfactory
	51.	Control Functions	(SAT) Satisfactory
	52.	Power Plant Controls	(SAT) Satisfactory
	53.	Operator Cutoff (Deadman) Switch	(SAT) Satisfactory
R		ng Upper Structure	(Crity Sunitive Strain
•	54.	Engine Performance	(SAT) Satisfactory
	55.	Exhaust System/Guards & Insulators	(SAT) Satisfactory
	56.	Hoses	(SAT) Satisfactory
	57.	Counterweight Frame	(SAT) Satisfactory
	58.	Ring and Pinion Gear	(SAT) Satisfactory
		Hydraulic and Pneumatic Pumps	(SAT) Satisfactory
	59.	riyuraulio ahu rheumalio rumps	(SAT) Satisfactory

Atlantic Crane Inspection Services disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Atlantic Crane Inspection Services. Atlantic Crane Inspection Services shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

				(0.17) 0. 41 6. 4	
	60.	Hydraulic Tubes, Fitting, and Hos	ses	(SAT) Satisfactory	
	61.	Hydraulic Pressure		(SAT) Satisfactory	
	62.	Electrical Wiring		(SAT) Satisfactory	
	63.	Swing System / Assembly		(SAT) Satisfactory	
	64.	Counterweight Mounting		(SAT) Satisfactory	
	65.	Counterweight Posted Warnings		(SAT) Satisfactory	
	66.	Electrocution Posted Warnings		(SAT) Satisfactory	
	67.	Structure		(SAT) Satisfactory	
Н	oist S	System			
	68.	Brakes and Clutch System		(SAT) Satisfactory	
	69.	Wire Rope Reeving		(SAT) Satisfactory	
	70.	2 Rope Wrap Minimum		(SAT) Satisfactory	
	71.	Motor		(SAT) Satisfactory	
	72.	Drums/Lagging/Flanges		(SAT) Satisfactory	
	73.	Anchor System		(SAT) Satisfactory	
	74.	Hoist Spooling		(SAT) Satisfactory	
M	ain B	Boom			
	75.	Lift Cylinder(s)		(SAT) Satisfactory	
	76.	Telescoping Boom Cylinder(s)		(SAT) Satisfactory	
	77.	Hydraulic Hoses, Tubes, and Fitt	ings	(SAT) Satisfactory	
	78.	Holding Device		(SAT) Satisfactory	
	79.	Boom Sections Alignment		(SAT) Satisfactory	
	80.	Wear Pads		(SAT) Satisfactory	
	81.	Sheaves		(SAT) Satisfactory	
	82.	Boom Hinge Pin		(SAT) Satisfactory	
	83.	Boom Head Section		(SAT) Satisfactory	
	84.	Structure		(SAT) Satisfactory	
Ji	b/Fly	Extension			
	85.	Sheaves		(SAT) Satisfactory	
	86.	Structure		(SAT) Satisfactory	
	87.	Locking Device		(SAT) Satisfactory	
	88.	Alignment		(SAT) Satisfactory	
	89.	End Connections and Pins		(SAT) Satisfactory	
Main Drum Wire Rope					
	90.	Diameter and wear			
		Slze	Construction	Number of Parts of Line	
		20mm	RR	3 parts	
	91.	Rope Damage		(SAT) None Visible at Time of inspection	
	92.	Lubrication		(SAT) Satisfactory	
	93.	End Connectors		(SAT) Satisfactory	
Aı	uxilia	ry drum wire rope			
	94.	Diameter and wear			
		Slze	Construction	Number of Parts of Line	
		20mm	RR		
M	ain H	loist Load Block/Ball & Hook			

Atlantic Crane Inspection Services disclaims all warranties, both express and implied, relating to the information, reports, opinions and analysis disclosed to the Customer by Atlantic Crane Inspection Services. Atlantic Crane Inspection Services shall not be liable for any errors or omissions, or any losses, injury or damages arising from the use of such information, reports, opinions and analysis by the Customer.

	95.	Capacity & Weight		
		Capacity	Weight	
		32 Ton	450 kg	
	96.	Capacity Marking		(SAT) Satisfactory
	97.	Weight Marking		(SAT) Satisfactory
	98.	Sheave(s)		(SAT) Satisfactory
	99.	Safety Latch(es)		(SAT) Satisfactory
	100.	0° Hook Bend or Twist		(SAT) Satisfactory
	101.	5% Hook Opening or 1/4" Max		(SAT) Satisfactory
	102.	10% Hook Wear Max		(SAT) Satisfactory
	103.	Bearing		(SAT) Satisfactory
	104.	Wedge Socket / End Fitting		(SAT) Satisfactory
	105.	Reeving		(SAT) Satisfactory
Ve	rifica	ation and Completion		
	106.	Inspector Name and Signature		Christopher J Hunter
			_	
•	107.	Sticker Given		(N) No, Will be Mailed